

# SAFETY DATA SHEET



Revision Date 11-May-2016  
Version 2

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product name** Colorfast Extraction Upholstery Cleaner  
**Product code** W.20018

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Professional Carpet Cleaning  
**Restrictions on use** Professional Use Only

### 1.3 Details of the supplier of the safety data sheet

**Supplier** Legend Brands  
Chemspec  
15180 Josh Wilson Road  
Burlington, WA 98233  
800-932-3030

**E-mail Address** msds@chemspecworld.com

### 1.4 Emergency telephone number

**Emergency telephone number** INFOTRAC 1-800-535-5053 (North America)  
1-352-323-3500 (International)

## 2. Hazards identification

### 2.1 Classification of the substance or mixture

**GHS Classification in accordance with 29 CFR 1910.1200**

Skin sensitization	Category 1
Flammable liquids	Category 3

### 2.2 Label elements

#### **Signal Word**

Warning

#### **Hazard Statements**

May cause an allergic skin reaction  
Flammable liquid and vapor

**Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray  
 Contaminated work clothing should not be allowed out of the workplace  
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
 Keep container tightly closed  
 Ground/Bond container and receiving equipment  
 Use explosion-proof electrical/ventilating/lighting/equipment  
 Use only non-sparking tools  
 Take precautionary measures against static discharge  
 Wear protective gloves/clothing and eye/face protection

If skin irritation or rash occurs: Get medical advice/attention  
 Wash contaminated clothing before reuse  
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower  
 In case of fire: Use CO<sub>2</sub>, dry chemical, or foam to extinguish

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**2.3. Other Hazards Hazards not otherwise classified (HNOC)**

Not Applicable

**2.4 Other information**

Not Applicable

**Unknown Acute Toxicity** < 1% of the mixture consists of ingredient(s) of unknown toxicity

### 3. Composition/Information on Ingredients

**Substance****Mixture**

Chemical Name	CAS-No	Weight %
DIPROPYLENE GLYCOL BUTYL ETHER	29911-28-2	10 - 20
Alcohols, C6-C12, Ethoxylated, propoxylated	68937-66-6	1 - 5
Alcohols, C10-C16, ethoxylated, propoxylated	69227-22-1	1 - 5
Isopropyl alcohol	67-63-0	1 - 5
D-limonene	5989-27-5	< 1

The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First aid measures

**4.1 Description of first-aid measures**

**General advice** No information available.

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**Skin contact** Wash skin with soap and water.

<b>Inhalation</b>	Remove to fresh air.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water.

#### **4.2 Most important symptoms and effects, both acute and delayed**

**Symptoms** See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

#### **4.3 Indication of any immediate medical attention and special treatment needed**

**Notes to physician** Treat symptomatically.

### **5. Fire-Fighting Measures**

#### **5.1 Extinguishing media**

##### **Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** None.

#### **5.2 Special hazards arising from the substance or mixture**

##### **Special Hazard**

Contact with water liberates toxic gas Risk of ignition

**Hazardous Combustion Products** No information available.

##### **Explosion Data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

#### **5.3 Advice for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **6. Accidental Release Measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation, especially in confined areas.

#### **6.2 Environmental precautions**

See Section 12 for additional Ecological information.

#### **6.3 Methods and materials for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

### **7. Handling and storage**

#### **7.1 Precautions for safe handling**

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

#### **7.2 Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

**Materials to Avoid** No materials to be especially mentioned.

## 8. Exposure controls/personal protection

### 8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup>	TWA: 200 ppm STEL: 400 ppm	TWA: 200 ppm TWA: 492 mg/m <sup>3</sup> STEL: 400 ppm STEL: 984 mg/m <sup>3</sup>	TWA: 400 ppm TWA: 985 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1230 mg/m <sup>3</sup>	TWA: 200 ppm STEL: 400 ppm

### 8.2 Appropriate engineering controls

**Engineering Measures** Showers  
Eyewash stations  
Ventilation systems.

### 8.3 Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields.

**Skin and body protection** Rubber/latex/neoprene or other suitable chemical resistant gloves.

**Respiratory protection** . NIOSH/MSHA approved respiratory protection should be worn if exposure is anticipated.

**Hygiene measures** See section 7 for more information

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Appearance</b>	Clear liquid
<b>Color</b>	Colorless
<b>Odor</b>	Ether
<b>Odor Threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Methods</u>
<b>pH</b>	2.5	
<b>Melting/freezing point</b>		No information available
<b>Boiling point/boiling range</b>		No information available
<b>Flash Point</b>	58 °C / 136 °F	
<b>Evaporation rate</b>		
<b>Flammability (solid, gas)</b>		No information available
<b>Flammability Limits in Air</b>		
<b>upper flammability limit</b>		No information available
<b>lower flammability limit</b>		No information available
<b>Vapor pressure</b>		No information available
<b>Vapor density</b>		
<b>Specific Gravity</b>		
<b>Water solubility</b>	Readily miscible	
<b>Solubility in other solvents</b>		No information available
<b>Partition coefficient</b>		
<b>Autoignition temperature</b>		No information available
<b>Decomposition temperature</b>		No information available
<b>Viscosity, kinematic</b>		
<b>Viscosity, dynamic</b>		No information available
<b>Explosive properties</b>	no data available	
<b>Oxidizing Properties</b>		No information available

### 9.2 Other information

**Volatile organic compounds (VOC) content** 38%

## 10. Stability and Reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions

### 10.3 Possibility of hazardous reactions

None under normal processing.

### 10.4 Conditions to Avoid

Extremes of temperature and direct sunlight.

### 10.5 Incompatible Materials

None known based on information supplied.

### 10.6 Hazardous Decomposition Products

None known based on information supplied.

## 11. Toxicological information

### 11.1 Acute toxicity

#### Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

**Unknown Acute Toxicity** < 1% of the mixture consists of ingredient(s) of unknown toxicity

<b>Oral LD50</b>	6,865.00 mg/kg
<b>Dermal LD50</b>	30,898.00 mg/kg
<b>LC50 (Dust/Mist)</b>	8.40 mg/l

#### Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
DIPROPYLENE GLYCOL BUTYL ETHER 29911-28-2	-	-	= 42.1 ppm ( Rat ) 4 h
Isopropyl alcohol 67-63-0	5840 mg/kg ( Rat )	= 13,900 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> ( Rat ) 4 h
D-limonene 5989-27-5	4400 mg/kg ( Rat )	> 5 g/kg ( Rabbit )	-

### 11.2 Information on toxicological effects

#### Skin corrosion/irritation

##### Product Information

- No information available

##### Component Information

- No information available

#### Serious eye damage/eye irritation

##### Product Information

- No information available

##### Component Information

- No information available

#### Respiratory or skin sensitization

##### Product Information

- No information available

##### Component Information

- No information available

#### Germ cell mutagenicity

##### Product Information

- No information available

##### Component Information

- No information available

#### Carcinogenicity

##### Product Information

- The table below indicates whether each agency has listed any ingredient as a carcinogen

##### Component Information

- Contains a known or suspected carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol 67-63-0	-	Group 3	-	

**Reproductive toxicity**Product Information

- No information available

Component Information

- No information available

**STOT - single exposure**

No information available

**STOT - repeated exposure**

No information available

**Other adverse effects**Product Information

- No information available

Component Information

- No information available

**Aspiration hazard**Product Information

- No information available

Component Information

- No information available

## 12. Ecological information

**12.1 Toxicity****Ecotoxicity**

No information available

7.0812 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

**Ecotoxicity effects**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
DIPROPYLENE GLYCOL BUTYL ETHER 29911-28-2	-	LC50: 96 h <i>Poecilia reticulata</i> 841 mg/L static	-
Isopropyl alcohol 67-63-0	EC50: 96 h <i>Desmodesmus subspicatus</i> 1000 mg/L EC50: 72 h <i>Desmodesmus subspicatus</i> 1000 mg/L	LC50: 96 h <i>Pimephales promelas</i> 9640 mg/L flow-through LC50: 96 h <i>Pimephales promelas</i> 11130 mg/L static LC50: 96 h <i>Lepomis macrochirus</i> 1400000 µg/L	EC50: 48 h <i>Daphnia magna</i> 13299 mg/L
D-limonene 5989-27-5	-	LC50: 96 h <i>Pimephales promelas</i> 0.619 - 0.796 mg/L flow-through LC50: 96 h <i>Oncorhynchus mykiss</i> 35 mg/L	-

**12.2 Persistence and degradability**

No information available.

**12.3 Bioaccumulative potential**

Discharge into the environment must be avoided

Chemical Name	log Pow
Isopropyl alcohol 67-63-0	0.05

**12.4 Mobility in soil**

No information available.

**12.5 Other adverse effects**

No information available

**13. Disposal Considerations****13.1 Waste treatment methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

**14. Transport Information****DOT**

Not regulated (If shipped in NON BULK packaging by ground transport)  
 Note: According to 49 CFR §173.150(f)(1), this material was reclassified as a combustible liquid. This provision does not apply to transportation by vessel or aircraft, except where other means of transportation is impractical

**MEX****IMDG**

<b>Proper shipping name</b>	Flammable Liquid, N.O.S. (Isopropanol and D'limonene)
<b>Hazard class</b>	3
<b>UN</b>	1993
<b>Packing Group</b>	III
<b>Marine pollutant</b>	Yes This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO

**IATA**

<b>UN</b>	1993
<b>Proper shipping name</b>	Flammable Liquid, N.O.S. (Isopropanol and D'limonene)
<b>Hazard class</b>	3
<b>Packing Group</b>	III

**15. Regulatory information****15.1 International Inventories**

<b>TSCA</b>	Complies
<b>DSL</b>	Complies
<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	-
<b>IECSC</b>	-
<b>KECL</b>	-
<b>PICCS</b>	-
<b>AICS</b>	-
<b>NZIoC</b>	-

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals



**15.2 U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
Tripropylene glycol monomethyl ether 25498-49-1	1.0
Isopropyl alcohol 67-63-0	1.0

**15.3 Pesticide Information**

Not applicable

**15.4 U.S. State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals

<b>16. Other information</b>
------------------------------

<b>NFPA</b>	<b>Health Hazard 2</b>	<b>Flammability 2</b>	<b>Instability 0</b>	<b>Physical and chemical hazards -</b>
<b>HMIS</b>	<b>Health Hazard 2</b>	<b>Flammability 2</b>	<b>Physical Hazard 0</b>	<b>Personal protection X</b>

**Legend:**

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S\*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

**Revision Date** 11-May-2016

**Revision Note**

No information available

**Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**