

SAFETY DATA SHEET

Restore Premier Rinse

Date: NOV 2019
Revision:

Page: 1 of 5

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Restore Premier Rinse

Product code: RCPR

1.2 Relevant identified uses of the substance/mixture and uses advised against

Acidic polymer rinse-professional use.

1.3 Details of the supplier of the safety data sheet

SUPPLIER: RESTORMATE

Unit 58A South Nelson Industrial Estate, Cramlington, Northumberland, NE23 1WF

TEL: +44(0)1670 590099 FAX: +44(0)1670 898670

EMAIL: sales@restormate.co.uk

1.4 Emergency telephone number

Tel: 07966 386526

2. Hazards identification

2.1 Classification of the substance or mixture

Classification under CLP Regs.: Eye Irrit. 2.: H319; Skin Irritant 2: H315

2.2 Label elements

Label elements under CLP:

Hazard pictograms: GHS07



Signal Word: Warning

Hazard Statements: H319: Causes serious eye irritation. H315: Causes skin irritation.

Precautionary statements: **PREVENTION:** Wear protective gloves, clothing and eye protection. Wash hands thoroughly after handling

RESPONSE: IF ON SKIN: Wash immediately with soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. Immediately call a POISON CENTRE or doctor/physician. If skin irritation occurs: get medical advice/attention. Take off contaminated clothing and wash before reuse.

2.3 Other hazards

PBT: this material does not contain any substance identified as a PBT or vPvB substance

SAFETY DATA SHEET

Restore Premier Rinse

Date: NOV 2019

Page: 2 of 5

Revision:

3. Composition/information on ingredients

3.1 Substances

3.2 Mixtures

Mixture containing classified and unclassified components.

Hazardous ingredients:

CAS	EINECS	Classification CLP	Concentration %w/w
Glycolic acid (REACH Reg. No. 01-2119485579-17)			
79-14-1	201-180-5	Acute tox 4 H332; Skin corr. 1B H314; Met corr. H290	2-5
Sodium xylenesulfonate soln. (REACH Reg. No. 01-2119513350-56)			
497-19-8	207-838-8	Eye irrit. 2 H319	2-5
Ethoxylated alcohol C 9-11			
68439-45-2		Eye dam.1 H318; Acute tox. 4 H302	1-3
Sodium dodecylbenzene sulfonate (REACH Reg. No. 01-2120088038-51)			
25155-30-0	246-680-4	Eye irrit. 2. H319; Acute tox. 4 H302, H312	1-3

See section 16 for full text of H statements

4. First aid measures

4.1 Description of first aid measures

Eye contact: Flush with clean water for at least 15 minutes. Seek medical advice.

Skin contact: Remove at once all contaminated clothing. Wash area with soap and water. Seek medical advice if irritation persists.

Ingestion: DO NOT induce vomiting. Give water to drink and seek immediate medical attention.

Inhalation: Remove from exposure, keep warm and at rest. If symptoms persist get medical attention.

4.2 Most important symptoms and effects both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

Get medical attention promptly if symptoms occur after washing.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Product is not flammable. Choice of extinguisher should be based on source of fire and other materials present.

Unsuitable agents:

5.2 Special hazards arising from the substance or mixture

Irritating/toxic fumes including oxides of carbon may be produced on thermal decomposition.

5.3 Advice for firefighters

Self-contained breathing apparatus and full protective clothing should be worn.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid raising dust. Avoid contact with eyes and skin. Wear protective clothing described in section 8.

6.2 Environmental precautions

Significant discharge into drains or water courses should be notified to the appropriate authority.

6.3 Methods and material for containment and cleaning up

Small spillages may be swept up and placed in closed container. Larger spillages should be contained, collected and transferred to plastic container for disposal in accordance with local regulations.

6.4 Reference to other sections

See section 8 for protective equipment, section 7 for handling and section 13 for disposal.

SAFETY DATA SHEET

Restore Premier Rinse

Date: NOV 2019

Page: 3 of 5

Revision:

7. Handling and storage

7.1 Precautions for safe handling

Ensure adequate ventilation. Avoid contact with skin and eyes. Avoid creating mist

7.2 Conditions for safe storage, including any incompatibilities

Store in original container, tightly closed. Keep in a dry place below 40°C.

7.3 Specific end use

See section 1

8. Exposure controls/personal protection

8.1 Control parameters

Substances assigned Workplace Exposure Limits

Name	type	Long term (8hr TWA)	Short term (15mins)
None			

8.2 Exposure controls

Wear PVC or neoprene gloves to prevent skin contact. Wear approved eye protection. Ensure good ventilation.

DNEL Sodium xylenesulfonate

Exposure	Value	Population	Effect
Dermal	0.096mg/cm ²	workers	Short term local
Inhalation	26.9mg/m ³	workers	Long term local
Dermal	136.25mg/cm ²	workers	Long term local

PNEC Sodium xylenesulfonate: Fresh water 0.23mg/l; Marine water 0.023mg/l; STP 100mg/l; Soil 0.037mg/kg

DNEL Glycolic acid

Inhalation	1.53mg/m ³	workers	Long term local
Inhalation	9.2mg/m ³	workers	Short term local
Dermal	58mg/cm ²	workers	Long term systemic

PNEC Glycolic acid: Fresh water 0.031mg/l; Marine water 0.0031mg/l; STP 7mg/l; Soil 0.007mg/kg

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: clear liquid, colourless to pale amber.

Odour: bouquet

Density at 20°C: >1.0kg/ltr

Solubility: Completely soluble in water.

pH: 2.0-3.0

Flash point: N/A

Boiling point/range: N/A

Vapour pressure: N/A

Oxidising: No

9.2 Other information

No further relevant information

10. Stability and reactivity

10.1 Reactivity

Not reactive under normal conditions

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

None known.

10.4 Conditions to avoid

Extremes of temperature.

SAFETY DATA SHEET

Restore Premier Rinse

Date: NOV 2019

Page: 4 of 5

Revision:

10.5 Incompatible materials

Strong alkali, reducing agents and oxidising agents.

10.6 Hazardous decomposition products

Irritating/toxic fumes including oxides of carbon may be produced on thermal decomposition.

11. Toxicological information

11.1 Information on toxicological effects.

Eyes: Irritation, redness and watering.

Skin: Irritation, redness.

Ingestion: Irritation to throat and mouth, abdominal discomfort

Inhalation: Coughing, shortness of breath, irritation to membranes of nose and throat.

Toxic dose LD50 (oral, rat): Ethoxylated alcohol C 9-11 200-2000mg/kg; Sodium alkyl benzene sulfonate 2050 mg/kg; Sodium xylene sulfonate 7000mg/kg; Glycolic acid >2000mg/kg

12. Ecological information

12.1 Toxicity

Ecotoxicity of ingredients:

Sodium alkyl benzene sulfonate LC50 2.3mg/l (Fish 96 hrs)

Ethoxylated alcohol C 9-11 LC50 1-100mg/l (Fish, 96 hrs), EC50 1-100mg/l (Daphnia, 48 hrs).

Sodium xylenesulfonate LC50 1000mg/l (Fish, 96 hrs), EC50 1000mg/l (Daphnia, 48 hrs).

Glycolic acid LC50 115mg/l (Fish, 96 hrs), E50 99.6mg/l (Daphnia, 48 hrs)

12.2 Persistence and degradability

The product is biodegradable.

12.3 Bioaccumulative potential

Not expected to bioaccumulate.

12.4 Mobility in soil

Soluble in water.

12.5 Results of PBT and vPvB assessment

No components classed as PBT/vPvB by current criteria.

12.6 Other adverse effects

Uncontrolled discharge into water courses may cause adverse effects.

13. Disposal considerations

13.1 Waste treatment methods

Comply with local regulations. Do not allow concentrate to enter water systems.

14. Transport information

14.1 UN Number

Not classified as hazardous for transport.

14.2 UN Proper shipping name

14.3 Transport hazard class(es)

14.4 Packing group

14.5 Environmental hazards

14.6 Special precautions for user

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for substance or mixture

None.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this product.

SAFETY DATA SHEET

Restore Premier Rinse

Date: NOV 2019

Page: 5 of 5

Revision:

16. Other information

This safety data sheet has been prepared according to EU Commission Regulation 453/2010

The information supplied in this document is based on our present state of knowledge and is given in good faith. It is not intended and should not be construed as a specification or guarantee of specific properties. The responsibility remains with the user to comply with all relevant laws, regulations and directives, to make their own assessment of workplace risks and to determine the suitability of the product for a particular use or application.

The hazards information in this data sheet refers to the material as supplied and not to any subsequent dilution or mixture.

The full text of the H statements referred to in section 3 are shown below. These classifications apply to the ingredients, in their concentrated form, which contribute to the classification of the product or mixture.

H290: May be corrosive to metals

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

Abbreviations and acronyms

ADR	European Agreement concerning the International Carriage of Goods by Road
CAS	Chemical Abstracts Service
CHIP	Chemicals (Hazard Information and Packaging) Regulations – Directives 1999/45/EC and 67/548/EC
CLP	Classification and Labelling of Chemicals – Regulation (EC) No. 1272/2008
CMR	Carcinogenic-mutagenic-toxic for reproduction
DNEL	Derived No Effect Level
EINECS	European Inventory of Existing Commercial Chemical Substances
GHS	Globally Harmonised System of Classification and Labelling of Chemicals
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration, 50%
LD50	Lethal Dose, 50%
NOEC	No Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent, Bioaccumulative, Toxic
PNEC	Predicted No Effect Concentration
vPvB	very Persistent, very Bioaccumulative
RID	Convention concerning International Carriage by Rail
WEL	Workplace Exposure Limit
VOC	Volatile Organic Compound