

# **Safety Data Sheet**

Version: 1 Revision Date: 12/21/2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product identifier. 103745 UK
Product name. Defoamer

**UFI** 1XMF-20RU-R00U-44XX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use. Professional Carpet Cleaning

Uses advised against. Professional Use Only

1.3. Details of the supplier of the safety data sheet

Supplier. Legend Brands

15180 Josh Wilson Road Burlington, WA 98233

E-Mail: sds@legendbrands.com

800-932-3030

Legend Brands Europe

22 Plover Close Interchange Park Newport Pagnell MK069PS UK

+44 (0) 1908 611211

Rust-Oleum Europe Kolenbergstraat 23 3545 Halen, Belgium

**1.4. Emergency telephone** INFOTRAC 1-800-535-5053 (North America)

**number** +1-352-323-3500 (International)

Europe

**Austria** +43 1 406 43 43

**Belgium** Poison center (BE): +32 70 245 245

DenmarkPoison Control Hotline (DK): +45 82 12 12 12FinlandPoison Information Centre (FI):+358 9 471 977

France ORFILA (FR): + 01 45 42 59 59

**Germany** Poison Center Berlin (DE): +49 030 30686 790 |par Poison Center Nord: +49 551 19240

(24h available English / German)

Ireland National Poisons Information Centre (IE): +353 1 8379964 / + 353 1 8092566

lceland +354 543 2222

Italy Poison Center, Milan (IT): +39 02 6610 1029

Luxembourg 112

Netherlands National Poisons Information Center (NL): +31 88 755 8000 (NB: this service is only

available to health professionals)

Norway Poisons Information (NO):+ 47 22 591300

PortugalPoison Information Center (PT): +351 800 250 250SpainPoison Information Service (ES): +34 91 562 04 20SwedenPoisons Information Center (SV):+46 8 33 12 31SwitzerlandPoison Center: Tel 145; +41 44 251 51 51

**United Kingdom** 111 / 0300 020 0155

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Allergic effects

## 2.2. Label elements

#### Signal Word

None

# Hazardous ingredients which must be listed on the label

Contains

Not Applicable

## **Possible Hazards**

< 1% of the mixture consists of ingredient(s) of unknown acute dermal toxicity

## **GHS HAZARD STATEMENTS**

EUH208

Contains 2-Methyl-2H-isothiazol-3-one, MIXTURE OF 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2 H-ISOTHIAZOL-3-ONE (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

**EMERGENCY OVERVIEW: No Information** 

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

This product is a mixture. Health hazard information is based on its components.

#### 3.2. Mixtures

Chemical Name	CAS-No.	EC No.	REACH Reg No.	Wt. %
2-(2-BUTOXYETHOXY)ETHANOL	112-34-5	203-961-6	01-2119475104-44- XXXX	<1
MIXTURE OF 5-CHLORO-2-METHYL-4- ISOTHIAZOLIN-3-ONE AND 2-METHYL-2 H-ISOTHIAZOL-3-ONE (3:1)	55965-84-9	No Information	No Information	<0.1
2-Methyl-2H-isothiazol-3-one	2682-20-4	220-239-6	No Information	<0.1
Toluene	108-88-3	203-625-9	No Information	<1

Chemical Name	Classification (1272/2008/EC)	Specific Conc. Limits, M-factors and ATEs
2-(2-BUTOXYETHOXY)ETHANOL	Eye Irrit. 2A (H319)	ATE oral (mg/kg): 5660 mg/kg Rat ATE dermal (mg/kg): 2700 mg/kg Rabbit ATE inhalation - vapor (mg/l/4h): N.R. ATE inhalation - dust/mist (mg/l/4h): N.R.
MIXTURE OF 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2 H-ISOTHIAZOL-3-ONE (3:1)	Corr. Resp. (EUH071) Acute Tox. 3 Oral (H301) Acute Tox. 2 Dermal (H310) Skin Corr. 1C (H314) Skin Sens. 1A (H317) Acute Tox. 2 Inhalation (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Eye Irrit. 2; H319: 0.06%<=C<0.6% Skin Corr. 1C; H314: C>=0.6% Skin Irrit. 2; H315: 0.06%<=C<0.6% Skin Sens. 1A; H317: C>=0.0015% Eye Dam. 1; H318: C>=0.6% ATE oral (mg/kg): 53 mg/kg Rat ATE dermal (mg/kg): 87.12 mg/kg Rabbit M-Factors: 100 M-factor chronic: 100
2-Methyl-2H-isothiazol-3-one	Corr. Resp. (EUH071) Acute Tox. 3 Oral (H301) Acute Tox. 3 Dermal (H311) Skin Corr. 1B (H314) Skin Sens. 1A (H317) Acute Tox. 2 Inhalation (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Skin Sens. 1A; H317: C>=0.0015%  ATE oral (mg/kg): 105 mg/kg (Rat ) ATE dermal (mg/kg): 201 mg/kg Rat ATE inhalation - dust/mist (mg/l/4h): N.R. M-Factors: 10 M-factor chronic: 1

Toluene  Flam. Liq. 2 (H225) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Acute Tox. 4 Inhalation (H332 STOT SE 3 NE (H336) STOT RE 2 (H373)	ATE oral (mg/kg): 2600 mg/kg Rat ATE dermal (mg/kg): 12000 mg/kg Rabbit ATE inhalation - vapor (mg/l/4h): 12.5 mg/ L Rat
---	--

For the full text of the H-Statements mentioned in this Section, see Section 16

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### General advice.

Call a physician if irritation develops or persists. When symptoms persist or in all cases of doubt seek medical advice.

#### Inhalation.

Move to fresh air.

#### Skin contact.

Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes.

#### Eve contact.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses, if present.

#### Ingestion.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Gently wipe or rinse the inside of the mouth with water.

# 4.2. Most important symptoms and effects, both acute and delayed

#### Symptoms.

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

# 4.3. Indication of any immediate medical attention and special treatment needed

#### Notes to physician.

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Extinguishing media which shall not be used for safety reasons.

High volume water jet.

## 5.2. Special hazards arising from the substance or mixture

No information available.

# 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Use personal protection recommended in Section 8.

As in any fire, wear self-contained breathing apparatus and full protective gear.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### Personal precautions.

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Do not breathe vapors or spray mist.

#### Advice for emergency responders.

Use personal protection recommended in Section 8.

## 6.2. Environmental precautions

Prevent product from entering drains. See Section 12 for additional Ecological information.

## 6.3. Methods and material for containment and cleaning up

## Methods for Containment.

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers.

# Methods for cleaning up.

Use personal protective equipment as required.

## Other information.

No Information

## 6.4. Reference to other sections

No Information

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling.

Handle in accordance with good industrial hygiene and safety practice.

## Hygiene measures.

See section 7 for more information.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions.

Keep containers tightly closed in a cool, well-ventilated place.

# 7.3. Specific end use(s)

Specific use(s).

No Information

Exposure scenario.

No Information Available

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

## **Exposure Limit Values**

Chemical Name	Austria	Belgium	Denmark	European Union.	Finland	France
2-(2- BUTOXYETHOX	STEL: 15 ppm STEL: 101.2 mg/	STEL: 15 ppm STEL: 101.2 mg/	TWA: 10 ppm TWA: 68 mg/m3	STEL: 15 ppm STEL: 101.2 mg/	TWA: 10 ppm TWA: 68 mg/m3	STEL: 15 ppm STEL: 101.2 mg/
Y)ETHANOL 112-34-5	m3 TWA: 10 ppm	m3 TWA: 10 ppm		m3 TWA: 10 ppm		m3 TWA: 10 ppm
	TWA: 67.5 mg/ m3	TWA: 67.5 mg/ m3		TWA: 67.5 mg/ m3		TWA: 68 mg/m3
MIXTURE OF 5- CHLORO-2- METHYL-4- ISOTHIAZOLIN-3 -ONE AND 2- METHYL-2 H- ISOTHIAZOL-3- ONE (3:1) 55965-84-9	TWA: 0.05 mg/ m3	N.D.	N.D.	N.D.	N.D.	N.D.
2-Methyl-2H- isothiazol-3-one 2682-20-4	TWA: 0.05 mg/ m3	N.D.	N.D.	N.D.	N.D.	N.D.
Toluene 108-88-3	STEL: 100 ppm STEL: 380 mg/ m3 TWA: 50 ppm TWA: 190 mg/m3	STEL: 100 ppm STEL: 384 mg/ m3 TWA: 20 ppm TWA: 77 mg/m3	TWA: 25 ppm TWA: 94 mg/m3	STEL: 100 ppm STEL: 384 mg/ m3 TWA: 50 ppm TWA: 192 mg/m3	STEL: 100 ppm STEL: 380 mg/ m3 TWA: 25 ppm TWA: 81 mg/m3	STEL: 100 ppm STEL: 384 mg/ m3 TWA: 20 ppm TWA: 76.8 mg/ m3

Chemical Name	Germany	Iceland	Ireland	Italy	Luxembourg	Netherlands
2-(2- BUTOXYETHOX Y)ETHANOL 112-34-5	STEL: 15 ppm STEL: 100.5 mg/ m3 TWA: 67 mg/m3 TWA: 10 ppm	STEL: 15 ppm STEL: 101.2 mg/ m3 TWA: 10 ppm TWA: 67.5 mg/ m3	STEL: 15 ppm STEL: 101.2 mg/ m3 TWA: 10 ppm TWA: 67.5 mg/ m3	STEL: 15 ppm STEL: 101.2 mg/ m3 TWA: 10 ppm TWA: 67.5 mg/ m3	STEL: 15 ppm STEL: 101.2 mg/ m3 TWA: 10 ppm TWA: 67.5 mg/ m3	STEL: 100 mg/ m3 TWA: 50 mg/m3
MIXTURE OF 5- CHLORO-2- METHYL-4- ISOTHIAZOLIN-3 -ONE AND 2- METHYL-2 H- ISOTHIAZOL-3- ONE (3:1) 55965-84-9	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
2-Methyl-2H- isothiazol-3-one 2682-20-4	STEL: 0.4 mg/m3 TWA: 0.2 mg/m3	N.D.	N.D.	N.D.	N.D.	N.D.
Toluene 108-88-3	STEL: 100 ppm STEL: 380 mg/ m3 TWA: 50 ppm TWA: 190 mg/m3	STEL: 50 ppm STEL: 188 mg/ m3 TWA: 25 ppm TWA: 94 mg/m3	STEL: 384 mg/ m3 STEL: 100 ppm TWA: 192 mg/m3 TWA: 50 ppm	TWA: 50 ppm TWA: 192 mg/m3	STEL: 100 ppm STEL: 384 mg/ m3 TWA: 50 ppm TWA: 192 mg/m3	STEL: 384 mg/ m3 TWA: 150 mg/m3
Chemical Name	Norway	Portugal	Spain	Sweden	Switzerland	United Kingdom
2-(2- BUTOXYETHOX	STEL: 20 ppm STEL: 102 mg/	STEL: 101.2 mg/ m3	STEL: 15 ppm STEL: 101.2 mg/	STEL: 15 ppm STEL: 101 mg/	STEL: 15 ppm STEL: 101 mg/	STEL: 15 ppm STEL: 101.2 mg/
Y)ETHANOL 112-34-5	m3 TWA: 10 ppm TWA: 68 mg/m3	STEL: 15 ppm TWA: 10 ppm TWA: 67.5 mg/ m3	m3 TWA: 10 ppm TWA: 67.5 mg/ m3	m3 TWA: 10 ppm TWA: 68 mg/m3	m3 TWA: 10 ppm TWA: 67 mg/m3	m3 TWA: 10 ppm TWA: 67.5 mg/ m3
Y)ETHANOL 112-34-5 MIXTURE OF 5- CHLORO-2- METHYL-4- ISOTHIAZOLIN-3 -ONE AND 2- METHYL-2 H- ISOTHIAZOL-3- ONE (3:1) 55965-84-9	m3 TWA: 10 ppm TWA: 68 mg/m3 N.D.	TWA: 10 ppm TWA: 67.5 mg/ m3 N.D.	m3 TWA: 10 ppm TWA: 67.5 mg/ m3 N.D.	m3 TWA: 10 ppm TWA: 68 mg/m3 N.D.	m3 TWA: 10 ppm TWA: 67 mg/m3 STEL: 0.4 mg/m3 TWA: 0.2 mg/m3	m3 TWA: 10 ppm TWA: 67.5 mg/ m3 N.D.
Y)ETHANOL 112-34-5 MIXTURE OF 5- CHLORO-2- METHYL-4- ISOTHIAZOLIN-3 -ONE AND 2- METHYL-2 H- ISOTHIAZOL-3- ONE (3:1)	m3 TWA: 10 ppm TWA: 68 mg/m3	TWA: 10 ppm TWA: 67.5 mg/ m3	m3 TWA: 10 ppm TWA: 67.5 mg/ m3	m3 TWA: 10 ppm TWA: 68 mg/m3	m3 TWA: 10 ppm TWA: 67 mg/m3 STEL: 0.4 mg/m3	m3 TWA: 10 ppm TWA: 67.5 mg/ m3

TWA: Time weighted average STEL: Short term exposure limit.

# **Derived No Effect Level (DNEL)**

No Information Available

# **Predicted No Effect Concentration (PNEC)**

No Information Available

# 8.2. Exposure controls

# **Engineering Measures.**

Showers, eyewash stations, and ventilation systems.

Personal protective equipment.

# Eye/Face Protection.

Safety glasses with side-shields.

## Skin and body protection.

Wear suitable protective clothing.

No Information

## Respiratory protection.

In case of insufficient ventilation wear suitable respiratory equipment.

## **Environmental Exposure Controls.**

No Information

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceTransucentColourWhiteOdourLow OdorOdour ThresholdNo Information

**pH** 6.0

Melting Point, °CNo InformationFlash Point, °CNot applicable 93Boiling Range, °C100 - 1,412

Combustibility Does not Support Combustion

Vapor Pressure, mmHg No Information Vapor density No Information Specific Gravity (g/cm3) Not Applicable Solubility in water Readily miscible Partition Coefficient, n-octanol/water No Information Auto-Ignition Temperature, °C No Information Decomposition temperature, °C No Information Viscosity No Information

9.2. Other information

Volatile organic compounds (VOC) content. None

# 9.2.1. Information with regard to physical hazard classes

No Information

#### 9.2.2. Other safety characteristics

**Evaporation rate**No Information Available

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Stable under normal conditions.

#### 10.2. Chemical stability

Stable under recommended storage conditions.

# 10.3. Possibility of hazardous reactions

None known based on information supplied.

# 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

None known based on information supplied.

# 10.6. Hazardous decomposition products

None known.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Acute toxicity.

Based on available data, the classification criteria are not met.

**Product Information** 

Oral LD50 Dermal LD50 Inhalation LC50

99,999.00 99,999.00 99,999.00 The following values are calculated based on chapter 3.1 of the GHS document.

 ATEmix (oral)
 >5000 mg/kg

 ATEmix (dermal)
 >5000 mg/kg

 >50 mg/l
 >50 mg/l

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
112-34-5	2-(2-BUTOXYETHOXY)ETHANOL	5660 mg/kg Rat	2700 mg/kg Rabbit	N.R.
55965-84-9	MIXTURE OF 5-CHLORO-2-METHYL-4- ISOTHIAZOLIN-3-ONE AND 2-METHYL-2 H-ISOTHIAZOL-3-ONE (3:1)	53 mg/kg Rat	87.12 mg/kg Rabbit	N.R.
2682-20-4	2-Methyl-2H-isothiazol-3-one	105 mg/kg (Rat)	201 mg/kg Rat	N.R.
108-88-3	Toluene	2600 mg/kg Rat	12000 mg/kg Rabbit	12.5 mg/L Rat

# 11.2. Information on other hazards

**Endocrine disrupting properties** 

N.A.

Other information.

N.A.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

<1% of the mixture consists of components(s) of unknown hazards to the aquatic environment **Ecotoxicity effects**.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia.
2-(2-BUTOXYETHOXY) ETHANOL 112-34-5	EC50 96 h Desmodesmus subspicatus >100 mg/L	LC50 96 h Lepomis macrochirus 1300 mg/L	EC50 48 h Daphnia magna >100 mg/L
MIXTURE OF 5-CHLORO-2- METHYL-4-ISOTHIAZOLIN-3- ONE AND 2-METHYL-2 H- ISOTHIAZOL-3-ONE (3:1) 55965-84-9	N.D.	N.D.	N.D.
2-Methyl-2H-isothiazol-3-one 2682-20-4	N.D.	N.D.	N.D.
Toluene 108-88-3	EC50 96 h Pseudokirchneriella subcapitata >433 mg/L, EC50 72 h Pseudokirchneriella subcapitata 12.5 mg/L	LC50 96 h Pimephales promelas 15.22 - 19.05 mg/L, LC50 96 h Pimephales promelas 12.6 mg/L, LC50 96 h Oncorhynchus mykiss 5.89 - 7.81 mg/L, LC50 96 h Oncorhynchus mykiss 14.1 - 17.16 mg/L, LC50 96 h Oncorhynchus mykiss 5.8 mg/L, LC50 96 h Lepomis macrochirus 11.0 - 15.0 mg/L, LC50 96 h Oryzias latipes 54 mg/L, LC50 96 h Poecilia reticulata 28.2 mg/L, LC50 96 h Poecilia reticulata 50.87 - 70.34 mg/L	EC50 48 h Daphnia magna 5.46 - 9.83 mg/L, EC50 48 h Daphnia magna 11.5 mg/L

# 12.2. Persistence and degradability

No data are available on the product itself

#### 12.3. Bioaccumulative potential

Discharge into the environment must be avoided.

CAS-No.	Chemical Name	Bio. Conc. Factor (BCF)	Octanol-water par. Coeff (KOW)
112-34-5	2-(2-BUTOXYETHOXY)ETHANOL	N.I.	1
55965-84-9	MIXTURE OF 5-CHLORO-2- METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2 H-ISOTHIAZOL-3- ONE (3:1)	54 (species: Lepomis macrochirus)	>=-0.32 - <=0.7
2682-20-4	2-Methyl-2H-isothiazol-3-one	N.I.	-0.26, -0.34, -0.28
108-88-3	Toluene	N.I.	2.73

# 12.4. Mobility in soil

Mobility in soil.

No information available

## 12.5. Results of PBT and vPvB assessment

No data are available on the product itself

## 12.6. Endocrine disrupting properties

No information available

#### 12.7. Other adverse effects

No information available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

## Waste from residues / unused products.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# Contaminated packaging.

No Information

#### Other information.

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.

# **SECTION 14: Transport information**

#### **ADR**

14.1. UN number or ID number No Information

**14.2. UN proper shipping name**Not regulated as a dangerous good

14.3. Transport hazard class(es)No Information14.4. Packing groupNo Information

14.5. Environmental hazards No.

14.6. Special precautions for user

No Information

**IMDG** 

14.1. UN number or ID number No Information

**14.2. UN proper shipping name**Not regulated as a dangerous good

14.3. Transport hazard class(es)No Information14.4. Packing groupNo Information

14.5 Marine Pollutant No.

Environmental hazards No.

14.6. Special precautions for user No Information

14.7. Maritime transport in bulk according to

IMO instruments

No Information

**IATA** 

14.1. UN number or ID number No Information

**14.2. UN proper shipping name**Not regulated as a dangerous good

14.3. Transport hazard class(es)14.4. Packing groupNo Information

14.5. Environmental hazards No.

14.6. Special precautions for user No Information

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information.

Germany WGK Classification 2 French table of occupational diseases

CAS-No.	Chemical Name	French table of occupational diseases
112-34-5	2-(2-BUTOXYETHOXY)ETHANOL	RG 84

## **European Union.**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

### **Persistent Organic Pollutants**

Not applicable

#### Authorizations and/or restrictions on use:

CAS-No.	Chemical Name	Substance subject to authorization per REACH Annex XIV	Restricted substance per REACH Annex XVII
112-34-5	2-(2-BUTOXYETHOXY)ETHANOL	No.	Yes.
55965-84-9	MIXTURE OF 5-CHLORO-2- METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2 H-ISOTHIAZOL-3-ONE (3:1)	No.	Yes.
2682-20-4	2-Methyl-2H-isothiazol-3-one	No.	Yes.
108-88-3	Toluene	No.	Yes.

# **EU Substances of Very High Concern**

None

# International Inventories.

TSCA Complies
DSL Complies

EINECS/ELINCS -

ENCS Complies
IECSC Complies
KECI Complies
PICCS Complies
AllC Complies
NZIOC Complies

TSCA United States Toxic Substances Control Act Section 8(b) Inventory.

**DSL** Canadian Domestic Substances List.

**EINECS/ELINCS** European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCS Japan Existing and New Chemical Substances.
 IECSC China Inventory of Existing Chemical Substances.
 KECL Korean Existing and Evaluated Chemical Substances.

PICCS Philippines Inventory of Chemicals and Chemical Substances.

AllC Australian Inventory of Industrial Chemicals.

NZIoC New Zealand Inventory of Chemicals.

### 15.2. Chemical safety assessment

No.

# **SECTION 16: Other information**

Revision Date 12/21/2022

Indication of changes: Commission Regulation (EU) 2020/878: amending Annex II by introducing specific

requirements regarding nanoforms of substances, adapting to the 6th and 7th revision of the GHS, and adding requirements regarding the Unique Formula Identifier (as set by Annex VIII to Regulation (EC) 1272/2008), endocrine disrupting properties, specific concentration limits,

M-factors and acute toxicity estimates.

# Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

EUH071	Corrosive to the respiratory tract.
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### Legend.

\_\_\_\_\_

•	
N.D.	No data available.
N.I.	No information available.
N.A.	Not Applicable.
N.R.	Not relevant.

This safety datasheet complies with the requirements of Regulation (EC) No. 2020/878

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.