Date: MAY 2017 Page: 1 of 5

Revision: 2

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: GUMGO Product code: RCGG

1.2 Relevant identified uses of the substance/mixture and uses advised against

Solvent based gum remover for carpets and hard surfaces.

1.3 Details of the supplier of the safety data sheet

SUPPLIER: RESTORMATE

Unit 58A South Nelson Industrial Estate, Cramlington, Northumberland, NE23 1WF

TEL: +44(0)1670 590099 FAX: +44(0)1670 898670

EMAIL: sales@restormate.co.uk

1.4 Emergency telephone number

Tel: 07966 386526

2. Hazards identification

2.1 Classification of the substance or mixture

Classification under CLP Regs.: Skin irrit. 2 H315; Skin sensitiser 1 H317; Eye irrit. 2 H319; Aquatic chronic 2 H411

2.2 Label elements

Label elements under CLP:

Contains Limonene

Hazard pictograms: GHS08; GHS09





Signal Word: Warning.

Hazard Statements: H319: Causes serious eye irritation. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H411: Toxic to aquatic life with long lasting effects.

Precautionary statements: PREVENTION: Avoid release to the environment. Wear protective gloves, clothing and eye protection.

RESPONSE: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If skin irritation or a rash occurs: get medical advice/attention. IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. Do NOT induce vomiting. Collect spillage.

DISPOSAL: Dispose of container/contents to an approved waste disposal site.

2.3 Other hazards

PBT: this material does not contain any substance identified as a PBT or vPvB substance.

Date: MAY 2017 Page: 2 of 5

Revision: 2

3. Composition/information on ingredients

3.1 Substances

3.2 Mixture

Hazardous ingredients:

	•				
CAS	EINECS	Classification CLP	Conc. w/w%		
2-(2Butoxyethoxy)ethanol (REACH Reg. No. 01-2119475104-44)					
112-34-5	203-961-6	Eye irrit.2 H319	10-30		
Dipentene					
138-86-3	205-341-0	Flam. Liq.3 H226; Skin irrit 2 H315; Skin sens. 1 H317; Aqua. Ac.1, Aqua chr.1 H410	5-15		
Ethoxylated alcohol C9/11 6EO					
68439-45-2		Acute tox. 4 H302; Eye dam. 1 H318	1-3		

See section 16 for full text of H statements

4. First aid measures

4.1 Description of first aid measures

Eye contact: Flush with clean water for at least 15 minutes. Remove any contact lenses. Get medical attention if irritation persists. **Skin contact:**Remove at once all contaminated clothing. Wash area with soap and water. Seek medical advice if irritation persists. **Ingestion:** DO NOT induce vomiting. Rinse mouth thoroughly. Get medical attention if discomfort continues.

Inhalation: Move to fresh air. Get medical attention.

4.2 Most important symptoms and effects both acute and delayed

Inhalation: coughing, shortness of breath. Ingestion: stomach pain, vomiting. Prolonged skin contact: irritation, redness, drying.

4.3 Indication of any immediate medical attention and special treatment needed

No recommendation.

5. Fire fighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Use alcohol resistant foam, carbon dioxide, dry powder or water fog.

Unsuitable agents:

Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Thermal decomposition may produce oxides of carbon and other toxic fumes.

5.3 Advice for firefighters

Self-contained breathing apparatus and full protective clothing should be worn.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

See section 8 for advice on protective clothing.

6.2 Environmental precautions

Spillage or uncontrolled discharge into watercourses must be notified immediately to the appropriate authority.

6.3 Methods and material for containment and cleaning up

Contain in inert absorbent material and transfer into a suitable closed container for disposal according to local regulations. If possible, clean area with water to remove residues.

6.4 Reference to other sections

Refer to section 13 for disposal.

Date: MAY 2017 Page: 3 of 5

Revision: 2

7. Handling and storage

7.1 Precautions for safe handling

Avoid skin and eye contact.

7.2 Conditions for safe storage, including any incompatibilities

Keep in original container, tightly closed. Store in a cool, well ventilated place.

7.3 Specific end use

See section 1.2

8. Exposure controls/personal protection

8.1 Control parameters

Substances assigned Workplace Exposure Limits

Name	type	Long terr	n(8hrTWA)	Shor	t term(15mins)
2-(2Butoxyethoxy)ethanol	WEL	10ppm	67.5mg/m ³	15ppm	101.2mg/m ³

Dipentene DNEL

Long term –local effects, skin contact, worker: 8.89mg/kg/day Long term-local effects, inhalation, worker: 31.1mg/m³

8.2 Exposure controls

Wear nitrile gloves if skin contact is unavoidable. Wear eye protection to prevent liquid splashes if necessary. Wear suitable protective clothing to prevent skin contact.

Ensure adequate ventilation.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Milky viscous liquid

Odour: citrus/pine

Density at 20°C: 0.97kg/ltr

Solubility: partially miscible in water.

pH(1% solution): N/A Flash point: >70°C

Boiling point/range: IBP <100°C

Oxidising: No

9.2 Other information

10.Stability and reactivity

10.1 Reactivity

No specific hazards

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

None

10.4 Conditions to avoid

High temperatures, sources of ignition.

10.5 Incompatible materials

Strong oxidising agents, strong acids.

10.6 Hazardous decomposition products

Thermal decomposition produces oxides of carbon.

Date: MAY 2017 Page: 4 of 5

Revision: 2

11.Toxicological information

11.1 Information on toxicological effects.

Eyes: Irritation, redness and watering.

Skin:Irritation on prolonged or repeated contact. May cause sensitisation by skin contact

Ingestion:Irritation to mouth and throat, abdominal discomfort.

Inhalation: Irritation to membranes of nose and throat.

Acute toxicity;

2-(2Butoxyethoxy)ethanol: LD50 5660mg/kg (oral, rat)

Dipentene LD₅₀. > 2000mg/kg (oral, rat), > 5000mg/kg (dermal, rabbit)

12.Ecological information

12.1 Toxicity

2-(2Butoxyethoxy)ethanol LC50 1300mg/l (Lepomis macrochirus, 96 hrs); EC50 >100mg/l (Daphnia magnia, 48hrs) Dipentene: Very toxic to aquatic organisms – LC50 0.7mg/l (Pimephales promelas, 96hrs). NOEC 21 days 0.27mg/l

12.2 Persistence and degradability

The product contains ingredients which are substantially biodegradable..

12.3 Bioaccumulative potential

Not determined.

12.4 Mobility in soil

Not determined.

12.5 Results of PBT and vPvB assessment

Does not contain any ingredients identified as PBT or vPvB substances.

12.6 Other adverse effects

Not determined.

13.Disposal considerations

13.1 Waste treatment methods

Comply with local regulations. Do not allow concentrate to enter water systems. Waste including empty containers and spill clean-up to be treated as controlled waste.

14.Transport information

14.1 UN Number

Not hazardous for transport

- 14.2 UN Proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards
- 14.6 Special precautions for user

Date: MAY 2017 Page: 5 of 5

Revision: 2

15.Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for substance or mixture

None

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this product.

16.Other information

This safety data sheet has been prepared according to EU Commission Regulation 453/2010

The information supplied in this document is based on our present state of knowledge and is given in good faith. It is not intended and should not be construed as a specification or guarantee of specific properties. The responsibility remains with the user to comply with all relevant laws, regulations and directives, to make their own assessment of workplace risks and to determine the suitability of the product for a particular use or application.

The hazards information in this data sheet refers to the material as supplied and not to any subsequent dilution or mixture. The full text of the H statements referred to in section 3 are shown below. These classifications apply to the ingredients, in their concentrated form, which contribute to the classification of the product or mixture.

H226: Flammable liquid and vapour

H302: Harmful if swallowed

H315: Causes skin irritation

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H410: Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADR	Furonean Agreement	concerning the Internationa	l Carriage of Goods by Road
ADIN	Lui obeaii Agi ceilleili	CONCERNING THE INTERNATIONA	i Cai i iage di Godus dy Noau

CAS Chemical Abstracts Service

CHIP Chemicals (Hazard Information and Packaging) Regulations – Directives 1999/45.EC and 67/548/EC

CLP Classification and Labelling of Chemicals – Regulation (EC) No. 1272/2008

CMR Carcinogenic-mutagenic-toxic for reproduction

DNEL Derived No Effect Level (REACH)

EINECS European Inventory of Existing Commercial Chemical Substances

GHS Globally Harmonised System of Classification and Labelling of Chemicals

IATA International Air Transport Association

IMDG International Maritime Dangerous Goods Code

LC50 Lethal Concentration, 50%

LD50 Lethal Dose, 50%

OEL Occupational Exposure Limit
PBT Persistent, Bioaccumulative, Toxic
vPvB very Persistent, very Bioaccumulative
PNEC Predicted No Effect Concentration (REACH)

RID Convention concerning International Carriage by Rail

WEL Workplace Exposure Limit
VOC Volatile Organic Compound