Date: SEPT 2017 Revision:

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Product name: RestoreHD

1.2 Relevant identified uses of the substance/mixture and uses advised against Heavy duty powder for cleaning of synthetic carpets.

1.3 Details of the supplier of the safety data sheet

SUPPLIER: NSL Restormate 58A South Nelson Ind. Est. Cramlington Northumberland NE23 1WF sales@restoremate.co.uk

1.4 Emergency telephone number

Tel: +44 (0)1670 590099

2. Hazards identification

2.1 Classification of the substance or mixture

2.1 Classification of the substance or mixture

Classification under CLP Regs.: Eye Dam. 1; Skin sensitiser 1 H317; H318; Skin Irritant 2: H315

2.2 Label elements

Label elements under CLP:

Contains: Sodium metasilicate; Tetrasodium ethylene diamine tetra acetate; Ethoxylated alcohol; Sodium alkylbenzene sulphonate; Dipentene

Hazard pictograms: GHS05; GHS08



Signal Word: Danger

Hazard Statements: H318: Causes serious eye damage. H317: May cause an allergic skin reaction. H315: Causes skin irritation. **Precautionary statements: PREVENTION:** Wear protective gloves, clothing and eye protection. Wash hands thoroughly after handling

RESPONSE: IF ON SKIN: Wash immediately with soap and water. If skin irritation or a rash occurs get immediate medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. Immediately call a POISON CENTRE or doctor/physician. If skin irritation occurs: get medical advice/attention. Take off contaminated clothing and wash before reuse.

2.3 Other hazards

PBT: this material does not contain any substance identified as a PBT or vPvB substance

Product code: RCRHD

Page: 1 of 5

Date: SEPT 2017 Revision:

Page:	2	of	5
-------	---	----	---

3.2 Mixtures Hazardous ingi			
lazardous ing			
	redients:		
CAS	EINECS	Classification CLP Conce	
Sodium carbon	nate (REACH F	Reg. No.(01-2119485498-19)	
497-19-8	207-838-8	Eye irrit.2 H319	10-20
Tetrasodium et	thylene diami	ne tetra acetate (REACH Reg. No. 01-2119486762-27)	
64-02-8	200-573-9	Skin irrit. 2 H315; Eye dam. 1 H318	1-5
Sodium metasi	ilicate		
10213-79-3	229-912-9	Met corr. 1 H290; Skin corr. 1B H314; STOT SE3 H335	1-5
Ethoxylated alo	cohol C9/11 6	EO	
58439-45-2		Acute tox. 4 H302; Eye dam. 1 H318	1-5
2-Methoxymet	thylethoxypro	panol (REACH Reg. no. 01-2119450011-60)	
34590-94-8	252-104-2		1-5
L-Methoxy-2-p	propanol (REA	CH Reg. No. 01-2119457435-35)	
107-98-2	203-539-1	Flam. Liq. 3 H226; STOT SE3 H336	1-5
Dipentene			
138-86-3	205-341-0	Flam. Liq.3 H226; Skin irrit 2 H315; Skin sens. 1 H317; Aqua. Ac.1, Aqua chr.1 H41	.0 1-5
Sodium alkylbe	enzenesulpho	nate	
25155-30-0	270-115-0	Acute tox. 4 H302; Skin irrit. 2 H315; Eye dam. 1 H318	0-1

4. First aid measures

4.1 Description of first aid measures

Eye contact: Flush with clean water for at least 15 minutes. Seek medical advice.

Skin contact: Remove at once all contaminated clothing. Wash area with soap and water. Seek medical advice if irritation persists. **Ingestion:** DO NOT induce vomiting. Give water to drink and seek immediate medical attention.

Inhalation: Remove from exposure, keep warm and at rest. If symptoms persist get medical attention.

4.2 Most important symptoms and effects both acute and delayed

Severe irritation to eyes. Irritation to skin which may be delayed.

4.3 Indication of any immediate medical attention and special treatment needed

5. Fire fighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Product is not flammable although irritating fumes may be given off in the event of fire. Choice of extinguisher should be based on other surrounding materials.

Unsuitable agents:

5.2 Special hazards arising from the substance or mixture

Oxides of carbon, nitrogen and phosphorus may be produced due to thermal decomposition.

5.3 Advice for firefighters

Self-contained breathing apparatus should be worn.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid raising dust. Avoid contact with eyes and skin.

6.2 Environmental precautions

Significant discharge into drains or water courses should be notified to the appropriate authority.

Date: SEPT 2017 **Revision:**

6./ cont.

6.3 Methods and material for containment and cleaning up

Small spillages may be rinsed away with plenty of water. Larger spillages should be contained, collected and transferred to plastic container for disposal.

6.4 Reference to other sections

See section 8 for protective equipment.

7. Handling and storage

7.1 Precautions for safe handling

Ensure adequate ventilation

7.2 Conditions for safe storage, including any incompatibilities

Store in original container, tightly closed. Keep in a dry place below 40°C.

7.3 Specific end use See section 1

8. Exposure controls/personal protection

8.1 Control parameters

Substances assigned Workplace Exposure Limits

Name

Name	type	Long term (8hrTWA)	Short term (15mins)
Dust, total	WEL	10mg/m ³	
Dust, respirable	WEL	4mg/m ³	
1-Methoxy-2-propanol	WEL	100ppm(sk)	150ppm(sk)
2-Methoxymethylethoxypropanol	WEL	50ppm(sk)	

8.2 Exposure controls

Wear rubber gloves if skin contact is unavoidable. Wear eye protection to eye contact if necessary. Avoid inhalation of dust.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties Appearance: Off-white powder Odour: Pine/citrus Density at 20°C: 0.8 kg/ltr Solubility: Completely soluble in water. pH(1% solution): 11.0 Flash point: N/A Boiling point/range: N/A Vapour pressure: N/A Oxidising: no 9.2 Other information No further relevant information

10.Stability and reactivity

10.1 Reactivity Not reactive under normal conditions **10.2 Chemical stability** Stable under normal conditions 10.3 Possibility of hazardous reactions 10.4 Conditions to avoid **10.5 Incompatible materials** Strong acids, reducing agents **10.6 Hazardous decomposition products** Oxides of carbon, nitrogen and phosphorus may be produced due to thermal decomposition. Page: 3 of 5

Date: SEPT 2017 Revision:

11.Toxicological information

11.1 Information on toxicological effects.

Eyes: Severe pain, redness and watering, possible damage.

Skin: Irritation, redness and defatting leading to cracking.

Ingestion:Sore throat and mouth, abdominal pain, vomiting.

Inhalation: Coughing, shortness of breath, irritation to membranes of nose and throat.

<u>Toxic dose LD50 (oral, rat)</u> Sodium carbonate 2800mg/kg; EDTA 1210-2150mg/kg; Sodium metasilicate 1280mg/kg; Ethoxylated alcohol 200-2000mg/kg; Sodium alkylbenzenesulphonate >2000mg/kg; Dipentene > 2000mg/kg Dermal > 5000mg/kg (dermal, rabbit); 1-Methoxy-2-propanol 6100-7200mg/kg; Methoxymethylethoxypropanol 5135mg/kg.

12.Ecological information

12.1 Toxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that release into the environment could have a damaging effect on aquatic organisms.

Ecotoxicity of ingredients: Sodium carbonate LC50 300mg/l (lepomis macrochirus, 96hrs), EC50 265mg/l (Daphnia, 48 hrs); Sodium metasilicate LC50 3185mg/l (fish, 96 hrs), EC50 4857mg/l (Daphnia, 48 hrs); Ethoxylated alcohol LC50 1-100mg/l (Fish, 96 hrs), EC50 1-100mg/l (Daphnia, 48 hrs). Dipentene: Very toxic to aquatic organisms – LC50 0.7mg/l (Pimephales promelas, 96hrs). NOEC 21 days 0.27mg/l

12.2 Persistence and degradability

No data for product itself.

12.3 Bioaccumulative potential

Not expected to bioaccumulate.

12.4 Mobility in soil

Soluble in water.

12.5 Results of PBT and vPvB assessment

No components classed as PBT/vPvB by current criteria.

12.6 Other adverse effects None known.

13.Disposal considerations

13.1 Waste treatment methods

Comply with local regulations. Do not allow concentrate to enter water systems.

14.Transport information

14.1 UN Number
Not classified as hazardous for transport
14.2 UN Proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
14.6 Special precautions for user

15.Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for substance or mixture

Detergents Regulations 2004/648/EC

Labelling; Contains less than 5% - non-ionic surfactants, anionic surfactants, EDTA; more than 30% - phosphates

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this product.

Page: 4 of 5

Date: SEPT 2017 Revision:

Page: 5 of 5

16.Other information

This safety data sheet has been prepared according to EU Commission Regulation 453/2010

The information supplied in this document is based on our present state of knowledge and is given in good faith. It is not intended and should not be construed as a specification or guarantee of specific properties. The responsibility remains with the user to comply with all relevant laws, regulations and directives, to make their own assessment of workplace risks and to determine the suitability of the product for a particular use or application.

The hazards information in this data sheet refers to the material as supplied and not to any subsequent dilution or mixture. The full text of the H statements referred to in section 3 are shown below. These classifications apply to the ingredients, in concentrated form, which contribute to the classification of the product or mixture.

- H290: May be corrosive to metals.
- H302: Harmful if swallowed.
- H312: Harmful in contact with skin.
- H314: Causes severe skin burns and eye damage.
- H315: Cause skin irritation.
- H317: May cause an allergic skin reaction.
- H318: Causes serious eye damage.
- H319: Causes serious eye irritation.
- H332: Harmful if inhaled.
- H335: May cause respiratory irritation.
- H410: Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

- ADR European Agreement concerning the International Carriage of Goods by Road
- CAS Chemical Abstracts Service
- CHIP Chemicals (Hazard Information and Packaging) Regulations Directives 1999/45.EC and 67/548/EC
- CLP Classification and Labelling of Chemicals Regulation (EC) No. 1272/2008
- CMR Carcinogenic-mutagenic-toxic for reproduction
- EINECS European Inventory of Existing Commercial Chemical Substances
- GHS Globally Harmonised System of Classification and Labelling of Chemicals
- IATA International Air Transport Association
- IMDG International Maritime Dangerous Goods Code
- LC50 Lethal Concentration, 50%
- LD50 Lethal Dose, 50%
- OEL Occupational Exposure Limit
- PBT Persistent, Bioaccumulative, Toxic
- vPvB very Persistent, very Bioaccumulative
- RID Convention concerning International Carriage by Rail
- WEL Workplace Exposure Limit
- VOC Volatile Organic Compound